Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	179	714/28.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/13 12:56
L2	79	714/29.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/13 12:56
L3	789	714/30.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/13 12:58
L4	142	(2 3) and (fpga microcontroller)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/13 12:56
L5	863	(2 3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/13 13:03
L6	177	703/20.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/13 13:04
S12 9	185	(programmable and emulation and pod)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 17:05
S13 0	192	(programmable and (emulation emulator) and pod)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 17:05
S13 1	12	S130 and (sleep)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 17:10

Page 1

S13 2	2	S130 and (reset adj mode)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 17:11
S13 3	20	S130 and (reset adj signal)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 17:44
S13 4	0	(gang adj programmer) same (emulat\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 17:44
S13 5	547	(programmer) same (emulat\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 17:45
S13 6	2	(programmer) same (emulat\$6) same pod	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/08 17:46
S13 7	2454	(selective\$3 with program\$5) same (eprom eeprom flash)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/09 09:16
S13 8	134	S137 and emulat\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/09 09:16
S13 9	1	S138 and pod	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/09 09:16
S14 0	32	("4350858" "4736193" "4740777" "4750136" "4835521" "4862355" "4892101" "4916339" "5046505" "5155356" "5195130" "5214771" "5218554" "5259381" "5376927" "5437044" "5455766").PN. OR ("5564108"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/03/09 09:39

	r			T		
S14 1	3	S140 and emulat\$5	US-PGPUB; USPAT; USOCR	OR	OFF	2006/03/09 09:40
S14 2	14	("8031" and (emulator (shadow adj system)))	US-PGPUB; USPAT; USOCR	OR	OFF	2006/03/09 09:42
S14 3	14	S142 and emulat\$5	US-PGPUB; USPAT; USOCR	OR	OFF	2006/03/09 09:46
S14 4	1293	((flash adj memory) eprom eeprom) same (emulat\$5)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/03/09 09:47
S14 5	653	((flash adj memory)) same (emulat\$5)	US-PGPUB; USPAT; USOCR	OR	OFF	2006/03/09 09:47
S14 6	41	S145 and "703".clas.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/03/09 09:47
S14 7	0	10/001568	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/09 15:42
S14 8	4	"10001568"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/09 15:42
S14 9	203	703/28.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/13 10:33
S15 0	177	703/20.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/13 10:33
S15 1	5	S149 and S150	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/13 10:33
S15 2	375	S149 or S150	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/13 10:37

			1			
S15 3	110	S152 and (emulat\$5 same programm\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/13 10:38
S15 4	7	S152 and (emulat\$5 same programm\$5 same socket)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/13 10:42
S15 5	1	(emulator and programmer).ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2006/03/13 10:44
S15 6	14	(emulator and programmer).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/13 12:45



Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L8	7	(socket and emulat\$5 and programm\$5).clm.	US-PGPUB	OR	OFF	2006/03/13 13:05
L9	0	(socket and (virtual adj (microcontroller device)) and programm\$5).clm.	US-PGPUB	OR	OFF	2006/03/13 13:05
L10	13	((virtual adj (microcontroller device)) and programm\$5).clm.	US-PGPUB	OR	OFF	2006/03/13 13:06
L11	2	(emulator and programmer).clm.	US-PGPUB	OR	OFF	2006/03/13 13:07
L12	0	(emulator and burner).clm.	US-PGPUB	OR	OFF	2006/03/13 13:07
L13	34	(virtual and programmer).clm.	US-PGPUB	OR	OFF	2006/03/13 13:13
L14	0	((system adj programmer) and (emulat\$5 virtual)).clm.	US-PGPUB	OR	OFF	2006/03/13 13:14
L15	83	((isp) and (emulat\$5 virtual)).clm.	US-PGPUB	OR	OFF	2006/03/13 13:14
L16	47	((isp not provider) and (emulat\$5 virtual)).clm.	US-PGPUB	OR	OFF	2006/03/13 13:14
L17	5	((isp not provider not internet) and (emulat\$5 virtual)).clm.	US-PGPUB	OR	OFF	2006/03/13 13:14

Interference Search

3/13/200b This application has no DG Pub

Sign in



 Web
 Images
 Groups
 News
 Froogle
 Local
 more »

 combined emulator programmer
 Search
 Advanced Search Preferences

O Search the Web

Search English and German pages

Web Results 1 - 10 of about 199,000 English and German pages for combined emulator programmer. (0.31 seconds)

Atmel Corporation

AVRISP mkll In-System **Programmer**, AVR® In-System **Programmer** mkll is used for field upgrades of AVR Flash microcontrollers. The AVRISP mkll **combined** with AVR

www.atmel.com/dyn/products/tools.asp?family_id=607 - 52k - Cached - Similar pages

PSP Playstation Portable Emulator Tools Roms

They had decided to raise the pressure to other SNES emulator programmer to speed ... When combined with another application, Videora + PSP Video 9 form the ... www.mxemu.com/psp-emulator-tools.php - 23k - Cached - Similar pages

Philips Microcontroller Support Tools

PROGRAMMERS for PHILIPS 87LPC family, and a combined programmer/emulator for the LPC900 family. PROGRAMMING ADAPTERS for PHILIPS 14pin TSSOP to 80pin LQFP ...

www.pds51.com/oldindex.html - 27k - Cached - Similar pages

Programmers Heaven - Assembler programming zone

J80 is one Z80 Emulator written in JAVA with included a standard BIOS for ... A parser-generator and a simple c++ interpreter are combined in an IDE. ... www.programmersheaven.com/zone5/index.htm - 51k - Cached - Similar pages

Programmers Heaven - Assembler Zone - Z80 Sourcecode & Tools files

ZSIM v2.41, The hundred percent Z80 Emulator with SourceCode. ... A parser-generator and a simple c++ interpreter are combined in an IDE. ... www.programmersheaven.com/zone5/cat49/index.htm - 54k - Cached - Similar pages

HOWTO: Writing a Computer Emulator

I want to write an **emulator**. Where should I start? Which **programming** language ... They can be **combined** for the best result. Interpretation An **emulator** reads ... fms.komkon.org/EMUL8/HOWTO.html - 30k - <u>Cached</u> - <u>Similar pages</u>

[PDF] 78K0 SERIES EMULATORS 78K0 SERIES EMULATORS

File Format: PDF/Adobe Acrobat

Combined emulator and emulation board ... Dedicated evaluation programmer for design (not for mass production). What is the PG. What is the PG—FPL? ... www.necel.com/micro/english/iecube/ZUD-CD-04-0027-E.pdf - Similar pages

LVL7 - Careers

Conduct **programming** on (RTOS) VxWorks and various operating systems. Use Vision Click as **emulator** for debugging and integrate new products and features on ... www.lvl7.com/careers.html - 41k - <u>Cached</u> - <u>Similar pages</u>

Renesas Technology

The E7, an on-chip debugging **emulator** originally developed for our Tiny series ... Partners offering a **programming** service for microcomputer internal ROM ... resource.renesas.com/lib/eng/edge/11/special04.html - 30k - Cached - Similar pages

Data Representations: Simplicity for Palm OS Platform

1 of 2 3/13/06 1:15 PM

Combined with IBM's WME it provides a simulation of what the application will look like when it is deployed to the actual device. The Simplicity Emulator ... www.datarepresentations.com/products/palm/index.jsp - 18k - Cached - Similar pages

Try your search again on Google Book Search

G0000000008 & Page: 1 2 3 4 5 6 7 8 9 10 Next

Free! Get the Google Toolbar. Download Now - About Toolbar



combined emulator programmer Seal

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

Google Home - Advertising Programs - Business Solutions - About Google

©2006 Google